



Safety Data Sheet

Issue Date: 15-Jun-2026

Revision Date: 16-Jun-2026

Version 1

1. IDENTIFICATION

Product identifier

Product Name PULSALube Universal 1 HG Hydraulic & Gear Oil

Other means of identification

SDS # PULSA-002

Recommended use of this chemical and restrictions on use

Recommended use Circulating oil.

Details of the supplier of the safety data sheet

Supplier Address

Pulsafeeder, Inc.
2883 Brighton Henrietta Town Line Road
Rochester, NY 14623
Phone: 585-292-8000

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Light amber liquid **Physical state** Liquid **Odor** Petroleum

Classification

This product is not considered hazardous by the US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

Label elements

Hazard statements

This product is not considered hazardous by the US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

Other Information

Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Residual oils (petroleum), solvent dewaxed	64742-62-7	30-60
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	30-60
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	30-60

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If irritation or redness develops and persists, seek medical attention.
Inhalation	Remove to fresh air. Seek medical attention if irritation develops or persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Seek medical attention if symptoms develop.

Most important symptoms and effects, both acute and delayed

Symptoms	Prolonged or repeated contact may dry skin and cause irritation. Inhalation of oil mists or vapors generated at elevated temperatures may cause respiratory irritation. Accidental ingestion can result in minor irritation of the digestive tract, nausea and diarrhea.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Foam. Water spray (fog). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media	Water or foam may cause frothing of materials heated above 100°C (212°F). Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.
---------------------------------------	--

Specific Hazards Arising from the Chemical

This material may burn, but will not ignite readily. If container is not properly cooled, it can rupture in the event of a fire.

Hazardous combustion products	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorous may also be formed.
--------------------------------------	---

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Remove all sources of ignition.
-----------------------------	---

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Notify relevant authorities in accordance with all applicable regulations. Immediate cleanup of any spill is recommended. Dike far ahead of spill for later recovery or disposal. Absorb spill with inert material such as sand or vermiculite, and place in suitable container for disposal. If spilled on water remove with appropriate methods (e.g., skimming, booms or absorbents). In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store only in approved containers. Protect containers from physical damage.

Packaging Materials "Empty" containers retain residue and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death. "Empty" drums should be completely drained, properly bunged, and promptly shipped to the supplier or a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Before working on or in tanks which contain or have contained this material, refer to OSHA regulations and other references pertaining to cleaning, repairing, welding, or other contemplated operations.

Incompatible Materials Strong oxidizing agents. Strong reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Not normally required. If necessary, wear goggles or safety glasses with side shields. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals. Suggested protective materials: Nitrile rubber. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

Where there is potential for airborne exposure above the exposure limit a NIOSH certified air purifying respirator equipped with R or P95 filters may be used. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Petroleum
Appearance	Light amber liquid	Odor Threshold	No information available
Color	Light amber		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	No information available		
Melting point / freezing point	< -12 °C / 10.4 °F		
Initial boiling point / boiling range	No information available		
Flash point	> 150 °C / 302 °F	Pensky-Martens Closed Cup (PMCC) Method: ASTM D93	
Evaporation rate	No information available		
Flammability (Solid, Gas)	No information available		
Flammability Limit in Air			
Upper flammability or explosive limits	No information available		
Lower flammability or explosive limits	No information available		
Vapor Pressure	<1 mm Hg		
Relative vapor density	>1	(Air=1)	
Relative Density	0.86 - 0.90	@ 60°F (Water=1)	
Water Solubility	Negligible		
Solubility in other solvents	No information available		
Partition Coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	4 - 32 cSt @ 100°C; 21 - 500 cSt @ 40°C		
Dynamic viscosity	No information available		
Particle characteristics	No information available		
Explosive Properties	No information available		
Oxidizing Properties	No information available		
<u>Other information</u>			
Bulk density	7.1 - 7.5 lbs/gal		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Excessive heat and fire. Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. Strong reducing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Residual oils (petroleum), solvent dewaxed 64742-62-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Lubricating oils (petroleum), hydrotreated spent 64742-58-1	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
Phenol, 2,6-Bis(1,1-Dimethyl)- 128-39-2	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The component below belongs to the petroleum family, which has been shown to contain carcinogenic substances depending on the level of refinement. The carcinogen classification need not apply if it can be shown that the substance contains less than 3% dimethyl sulfoxide extract.

Chemical name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum), solvent dewaxed 64742-62-7	A2 - Suspected Human Carcinogen	Group 1 - Carcinogenic to humans	Known Human Carcinogen	Present
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2 - Suspected Human Carcinogen	Group 1 - Carcinogenic to humans	Known Human Carcinogen	Present
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2 - Suspected Human Carcinogen	Group 1 - Carcinogenic to humans	Known Human Carcinogen	Present

Numerical measures of toxicity

The following ATE values have been calculated for the mixture
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Disposal methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Residual oils (petroleum), solvent dewaxed	X	ACTIVE	X	X		X	X	X	X
Petroleum distillates, solvent dewaxed heavy paraffinic	X	ACTIVE	X	X		X	X	X	X
Petroleum distillates, hydrotreated heavy paraffinic	X	ACTIVE	X	X		X	X	X	X
Lubricating oils (petroleum), hydrotreated spent	X	ACTIVE	X	X		X	X	X	X
Phenol, 2,6-Bis(1,1-Dimethyl)-	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION**NFPA**
HMISHealth hazards 0
Health hazards -Flammability 1
Flammability -Instability 0
Physical hazards -Special hazards -
Personal protection -

Issue Date: 15-Jun-2026
Revision Date: 16-Jun-2026
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet